

TA Series Air Winch

2009 Price Schedule



SECTION 15 – UTILITY RATED AIR WINCHES

TA2 SERIES UTILITY RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}


model number	1st layer load rating	line speed (fpm)	description	approx. ship wt.	user price
TA2-16MX1	7200 lb	30-46	7.1 hp winch, 16" drum, manual brake	1000 lb	\$ 19,260
TA2-24MX1	7200 lb	30-46	7.1 hp winch, 24" drum, manual brake	1100 lb	18,940
TA2-16AX1	7200 lb	30-46	7.1 hp winch, 16" drum, auto band brake	1000 lb	21,540
TA2-24AX1	7200 lb	30-46	7.1 hp winch, 24" drum, auto band brake	1100 lb	21,240



TA2-24MX1

TA2H SERIES UTILITY RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

TA2H-16MX1	3600 lb	61-94	7.1 hp winch, 16" drum, manual brake	1000 lb	\$ 19,410
TA2H-24MX1	3600 lb	61-94	7.1 hp winch, 24" drum, manual brake	1100 lb	19,090
TA2H-16AX1	3600 lb	61-94	7.1 hp winch, 16" drum, auto band brake	1000 lb	21,690
TA2H-24AX1	3600 lb	61-94	7.1 hp winch, 24" drum, auto band brake	1100 lb	21,390



TA2.5-16AX1 with TA2.5-16GL Drum Guard and Line Guide

TA2.5 SERIES UTILITY RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

TA2.5-16MX1	7200 lb	79-114	18.3 hp winch, 16" drum, manual brake	1615 lb	\$ 26,130
TA2.5-24MX1	7200 lb	79-114	18.3 hp winch, 24" drum, manual brake	1700 lb	25,770
TA2.5-16AX1	7200 lb	79-114	18.3 hp winch, 16" drum, auto band brake	1615 lb	28,570
TA2.5-24AX1	7200 lb	79-114	18.3 hp winch, 24" drum, auto band brake	1700 lb	28,210

TA5 SERIES UTILITY RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

TA5-16MX1	18,000 lb	30-47	17.8 hp winch, 16" drum, manual brake	2460 lb	\$ 35,460
TA5-24MX1	18,000 lb	30-47	17.8 hp winch, 24" drum, manual brake	2625 lb	35,100
TA5-30MX1	18,000 lb	30-47	17.8 hp winch, 30" drum, manual brake	2750 lb	35,900
TA5-16AX1	18,000 lb	30-47	17.8 hp winch, 16" drum, auto band brake	2460 lb	38,040
TA5-24AX1	18,000 lb	30-47	17.8 hp winch, 24" drum, auto band brake	2625 lb	37,680
TA5-30AX1	18,000 lb	30-47	17.8 hp winch, 30" drum, auto band brake	2750 lb	38,480



TA7-36AX1

TA7 SERIES UTILITY RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

TA7-24MX1	23,600 lb	19-29	14.4 hp winch, 24" drum, manual brake	3435 lb	\$ 37,850
TA7-30MX1	23,600 lb	19-29	14.4 hp winch, 30" drum, manual brake	3620 lb	38,980
TA7-36MX1	23,600 lb	19-29	14.4 hp winch, 36" drum, manual brake	3800 lb	40,120
TA7-24AX1	23,600 lb	19-29	14.4 hp winch, 24" drum, auto band brake	3435 lb	40,610
TA7-30AX1	23,600 lb	19-29	14.4 hp winch, 30" drum, auto band brake	3620 lb	41,740
TA7-36AX1	23,600 lb	19-29	14.4 hp winch, 36" drum, auto band brake	3800 lb	42,870

TA10 SERIES UTILITY RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

TA10-30MX1	37,000 lb	20-34	27 hp winch, 30" drum, manual band brake	3220 lb	\$ 61,225
TA10-40MX1	37,000 lb	20-34	27 hp winch, 40" drum, manual band brake	3515 lb	64,875
TA10-60MX1	37,000 lb	20-34	27 hp winch, 60" drum, manual band brake	4105 lb	69,575
TA10-30AX1	37,000 lb	20-34	27 hp winch, 30" drum, auto band brake	3234 lb	63,840
TA10-40AX1	37,000 lb	20-34	27 hp winch, 40" drum, auto band brake	3530 lb	67,490
TA10-60AX1	37,000 lb	20-34	27 hp winch, 60" drum, auto band brake	4120 lb	72,190



TA10-30MX1

¹ All TA utility winches include throttle lever control.

² Please order wire rope separately, see Section 8.

SECTION 15 – PERSONNEL RATED AIR WINCHES



TA2P-16MK1

TA2P SERIES PERSONNEL RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

model number	1st layer load rating	line speed (fpm)	description	approx. ship wt.	user price
TA2P-16MK1	4,500 lb	46-70	6.8 hp winch, 16" drum, manual band brake, auto disc brake	995 lb	\$ 23,670
TA2P-24MK1	4,500 lb	46-70	6.8 hp winch, 24" drum, manual band brake, auto disc brake	1085 lb	23,350
TA2P-16AK1	4,500 lb	46-70	6.8 hp winch, 16" drum, auto band brake, auto disc brake	1025 lb	25,950
TA2P-24AK1	4,500 lb	46-70	6.8 hp winch, 24" drum, auto band brake, auto disc brake	1120 lb	25,650

TA2HP SERIES PERSONNEL RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

TA2HP-16MK1	3,600 lb	61-94	7.1 hp winch, 16" drum, manual brake, auto disc brake	995 lb	23,820
TA2HP-24MK1	3,600 lb	61-94	7.1 hp winch, 24" drum, manual brake, auto disc brake	1085 lb	23,500
TA2HP-16AK1	3,600 lb	61-94	7.1 hp winch, 16" drum, auto band brake, auto disc brake	1025 lb	26,100
TA2HP-24AK1	3,600 lb	61-94	7.1 hp winch, 24" drum, auto band brake, auto disc brake	1120 lb	25,800

TA2.5P SERIES PERSONNEL RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

TA2.5P-16MK1	4,500 lb	112-162	16.2 hp winch, 16" drum, manual brake, auto disc brake	1265 lb	30,815
TA2.5P-24MK1	4,500 lb	112-162	16.2 hp winch, 24" drum, manual brake, auto disc brake	1350 lb	30,455
TA2.5P-16AK1	4,500 lb	112-162	16.2 hp winch, 16" drum, auto band brake, auto disc brake	1300 lb	33,255
TA2.5P-24AK1	4,500 lb	112-162	16.2 hp winch, 24" drum, auto band brake, auto disc brake	1385 lb	32,895

TA5P SERIES PERSONNEL RATED — RADIAL PISTON AIR DRIVEN POWER WINCHES^{1,2}

TA5P-16MK1	10,700 lb	47-74	16.7 hp winch, 16" drum, manual brake, auto disc brake	2535 lb	40,145
TA5P-24MK1	10,700 lb	47-74	16.7 hp winch, 24" drum, manual brake, auto disc brake	2700 lb	39,785
TA5P-30MK1	10,700 lb	47-74	16.7 hp winch, 30" drum, manual brake, auto disc brake	2825 lb	40,585
TA5P-16AK1	10,700 lb	47-74	16.7 hp winch, 16" drum, auto band brake, auto disc brake	2570 lb	42,725
TA5P-24AK1	10,700 lb	47-74	16.7 hp winch, 24" drum, auto band brake, auto disc brake	2735 lb	42,365
TA5P-30AK1	10,700 lb	47-74	16.7 hp winch, 30" drum, auto band brake, auto disc brake	2860 lb	43,165

¹ All TA personnel winches include lever handle control valve, 2 mufflers and ABS Type approval.

² Please order wire rope separately, see Section 8.

SECTION 15 – AIR WINCH OPTIONS

TA SERIES AIR WINCH — OPTIONS AND ACCESSORIES

base model options	description	price adder
■ K ¹	automatic disc brake— replaces 'X' in base model number string TA2 series TA2.5 series, TA5 series, TA7 series and TA10 series	\$ 4,175 4,500
■ EPOXY	3 part marine epoxy with zinc primer - colors: red, pearl grey, offshore yellow For TA2 series, TA2P series, TA2H series, TA2PH series, TA2.5 series, TA2.5P series For TA5-16, TA5-24, TA5P-16, TA5P-24 For TA5-30, TA5P-30 For TA7-24, TA7-30 For TA7-36 For TA10-30 For TA10-40 For TA10-60	\$ 975 1,125 1,250 1,375 1,500 1,400 1,600 1,800
■ 3	remote pendant control valve – 50ft max. – specify length when ordering – replaces '1' in base model number string For TA2, TA2H, TA2P, TA2PH Series: B3478 Valve Pendant, B4580 Remote 310 Motor Valve For TA2.5, TA2.5P, TA5, TA5P and TA7 Series: B3478 Valve Pendant, B4581 Remote 510 Motor Valve NOTE: Remote Control requires use of an automatic brake.	1,600



Automatic Band Brake



Drum Guard



Line Guard

model number	description	approx. ship wt.	price adder
■ TA-FLR	filter, lubricator, and regulator pkg - not mounted - all models	42 lb	1,945
■ TA-MF1	two muffler kit - TA2 series	9 lb	250
■ TA-MF2	two muffler kit - TA2.5, TA5, TA7 series	11 lb	270
■ TA-MF3	two muffler kit - TA10 series	6 lb	450
■ TA2/2.5-16G	drum guard for TA2-16 and TA2.5-16	46 lb	1,300
■ TA2/2.5-16GL	line guide and drum guard for TA2-16 and TA2.5-16	63 lb	1,950
■ TA2/2.5-24G	drum guard for TA2-24 and TA2.5-24	56 lb	1,300
■ TA2/2.5-24GL	line guide and drum guard for TA2-24 and TA2.5-24	73 lb	1,950
■ TA5-16G	drum guard for TA5-16	57 lb	1,600
■ TA5-16GL	line guide and drum guard for TA5-16	74 lb	2,275
■ TA5-24G	drum guard for TA5-24	68 lb	1,700
■ TA5-24GL	line guide and drum guard for TA5-24	82 lb	2,375
■ TA5-30G	drum guard for TA5-30	76 lb	1,800
■ TA5-30GL	line guide and drum guard for TA5-30	92 lb	2,500
■ TA7-24G	drum guard for TA7-24	94 lb	1,675
■ TA7-24GL	line guide and drum guard for TA7-24	109 lb	2,400
■ TA7-30G	drum guard for TA7-30	102 lb	1,775
■ TA7-30GL	line guide and drum guard for TA7-30	118 lb	2,525
■ TA7-36G	drum guard for TA7-36	109 lb	1,875
■ TA7-36GL	line guide and drum guard for TA7-36	125 lb	2,625

¹For double auto braking systems, please call factory.